Journal of Immunological Methods, 143 (1991) 277–278
© 1991 Elsevier Science Publishers B.V. All rights reserved 0022-1759/91/$03.50

Contents to volume 143 (1991)

Number 1 – 20 September 1991

Research reports

In vitro measurement of antigen-specific cell-mediated immune responses using recombinant HIV-1 proteins adsorbed to latex microspheres
J.-Y. Wu, C.H. Riggin, J.R. Seals, C.I. Murphy and M.J. Newman (U.S.A.) 1

A recombinant 70K protein ELISA. Screening for antibodies against U1snRNP proteins in human sera
H.P. Seelig, H. Ehrfeld, H. Schroeter, C. Heim and M. Renz (F.R.G.) 11

Immunological and biological characteristics of recombinant human thyrotropin
T. Kashiwai, K. Ichihara, Y. Endo, H. Tamaki, N. Amino and K. Miyai (Japan) 25

The effects of incubation temperature and coating procedure on the measurement of antibodies to cardiolipin
M.A. Firer, T. Spivak, Y. Shoenfeld and H. Slor (Israel) 31

Lymphokine-activated killer cells: determination of their tumor cytolytic capacity by a clonogenic microassay using agar capillaries
C. Echarti and H.R. Maurer (F.R.G.) 41

A comparison of the sensitivity and specificity of enzyme-immunoassays and time-resolved fluoroimmunoassay
I.M. Roberts, S.L. Jones, R.R. Premier and J.C. Cox (Australia) 49

A human renal cancer line as a new antigen source for the detection of antibodies to cytoplasmic and nuclear antigens in sera of patients with Wegener's granulomatosis
W.J. Mayet, E. Hermann, E. Csernok, A. Knuth, T. Poralla, W.L. Gross and K.H. Meyer zum Büschenfelde (F.R.G.) 57

C-reactive protein measured in dried blood spots from patients with cystic fibrosis
S.M. Cordon, J.S. Elborn, E.J. Hiller and D.J. Shale (U.K.) 69

The application of epitope mapping in the development of a new serological test for systemic candidosis
R. Matthews, J.P. Burnie and W. Lee (U.K.) 73

Quantitation of Hsp70 in tissues using a competitive enzyme-linked immunosorbent assay
J.A. Gutierrez and V. Guerriero, Jr. (U.S.A.) 81

A sandwich enzyme-linked immunosorbent assay for human interleukin-5
Y. Fukuda, J. Hashino, M. Haruyama, N. Tsuruoka, H. Nakazato and T. Nakanishi (Japan) 89

Proliferative capacity of mononuclear cells in the human lung
T. Van Maarsseveen, H. Eckert, J. De Groot, H. Renner, R. Christ, R. Hennig, K. Engelmann, R. Riesner and E. Laake (The Netherlands, F.R.G.) 95

Suspended mouse peritoneal macrophages. Preparation and properties
M.-T. Château, H. Rabesandratana and R. Caravano (France) 103

Protein A-streptokinase fusion protein for immunodetection of specific IgG antibodies
K.-H. Schmidt, C. Klessen, W. Köhler and H. Malke (F.R.G.) 111

Quantitative evaluation of indirect ELISA. Effect of calmodulin antagonists on antibody binding to calmodulin
K. Liliom, F. Orasz, L. Horváth and J. Ovádi (Hungary) 119

A monoclonal antibody-based enzyme immunoassay for quantitation of human tumor necrosis factor binding protein I, a soluble fragment of the 60 kDa TNF receptor, in biological fluids
G.R. Adolf and I. Apfler (Austria) 127

Book reviews 137

Announcements 139

Notes to authors 141

Number 2 – 25 October 1991

Research reports

Thiophilic adsorbents for RIA and ELISA procedures
S. Oscarsson, G. Chaga and J. Porath (Sweden) 143

The use of peptide-mediated electrofusion to select monoclonal antibodies directed against specific and homologous regions of the potyvirus coat protein
J.A. Werkmeister, T.A. Tebb, A. Kirkpatrick and D.D. Shukla (Australia) 151

Prevention of nonspecific binding of immunoglobulin to *Staphylococcus aureus* protein A in ELISA assays
A.J. Guidry, K.E. Squiggins, W.F. Vann and D.C. Westhoff (U.S.A.) 159

Quantitation of solid-phase immunoassays using a fibre-optic reflectance spectrophotometer
D. McCarthy, A. Rehman, D.N. Batchelder, M. Bubel and D. Bainbridge (U.K.) 167

Characterization of two monoclonal antibodies against the COOH-terminal part of the human epidermal growth factor receptor and potential clinical use
F. Troalen, T. Maudelonde, P. Montcourrier, C. Bohuon and J.-C. Delarue (France) 175

Antigen detection in invasive aspergillosis
J.P. Burnie (U.K.) 187

Production of monoclonal antibodies against inactivated α_1-antitrypsin. Cross-reactivity with complexed α_1-antitrypsin and application in an assay to determine inactivated and complexed α_1-antitrypsin in biological fluids
J.J. Abbink, A.M. Kamp, A.J.G. Swaak and C.E. Hack (The Netherlands) 197

Long term cultures of human monocytes in vitro. Impact of GM-CSF on survival and differentiation
A. Eischen, F. Vincent, J.P. Bergerat, B. Louis, A. Faradji, A. Bohbot and F. Oberling (France) 209

Measurement of anti-phospholipid antibodies by ELISA using β_2-glycoprotein I as an antigen
J. Arvieux, B. Roussel, M.C. Jacob and M.G. Colomb (France) 223

Preparation of clinical grade proteins produced by recombinant DNA technologies
B.J. Takacs and M.-F. Girard (Switzerland) 231

The maintenance of lytic specificity during the development of clones of cytotoxic T lymphocytes from single precursor cells
L.A. Rogers, A. Zlotnik, F. Lee and K. Shortman (Australia, U.S.A.) 241

A specific and reliable bioassay for the detection of femtomolar levels of human and murine tumor necrosis factors
D.R. Branch, A. Shah and L.J. Guilbert (Canada) 251

Determining the extent of labeling for tetramethylrhodamine protein conjugates
D.L. Meadows, J.S. Shafer and J.S. Schultz (U.S.A.) 263

Software notice

A BASIC program for the collection and processing of immunology data
A. Rehman and D. McCarthy (U.K.) 273

Announcements 275

Contents to volume 143 (1991) 277

Notes to authors 279